



EV-CHARGING SYSTEMS

GREEN MOBILITY



RAPID CHARGING



USER-FRIENDLY



WEB ACCESS



FAST-CHARGER

Alternating current (AC) charger



BASIC

SMART

CHARGING CAPACITY

Full support of all European AC charging standards	✓	✓
Fast and easy installation	✓	✓
Charging connection types <ul style="list-style-type: none"> • 1 piece of (AC) Type2 connector with 5 m spiral-cable • 1 piece of (AC) Type2 socket 	✓	✓
Installation options <ul style="list-style-type: none"> • Floor-standing • Wall-mounted • Pylon-mounted 	✓	✓
SMART communication functions <ul style="list-style-type: none"> • Web-based access and monitoring for operators • RFID (magnetic card) identification • Measurement of real electric consumption • SMS-based charging management (activation) 	—	✓

1-phase		3-phase	
230 V		400 V	
16 A	32 A	16 A	32 A
3,7 kW	7,4 kW	11 kW	22 kW



For more information about charging times related to specific vehicles visit:

www.evopro.hu/eng/page/charging_duration



RAPID-CHARGER

AC/DC rapid charging

CHARGING CAPACITY

AC		DC	
1-phase	3-phase	3-phase	
230 V	400 V	50-500 V	
16 A 32 A	16 A 32 A	max 125 A	
3,7 kW 7,4 kW	11 kW 22 kW	max 50 kw	

Charging to 80% even in less than 30 minutes

Integrated AC/DC converter

Simultaneous AC & DC charging

Charging connection types

- 1 piece of (DC) CCS cabled connector
- 1 piece of (DC) CHAdeMO cabled connector
- 1 piece of (AC) Type2 cabled connector
- 2 pieces of (AC) Type2 sockets

Floor-standing installation

SMART communication functions

- Web-based access and monitoring for operators
- RFID (magnetic card) identification
- Measurement of real electric consumption
- SMS-based charging management (activation)



CCS



CHAdeMO



AC



EVOPRO CHARGING SYSTEMS

Safe and quick charging for electric vehicles

GENERAL FEATURES

Standard remote monitoring system

Status information on LED display

Safe: continuous monitoring of charging cable

Tamper-proof design for outdoor use, with optional protector bars and anti-graffiti coating

Ergonomic design

Easy access and use also for disabled persons

CONTACT AND ORDERING INFO



+36 1 279 3970



sales@evopro-group.com



www.evopro-group.com

PRODUCT ORDER NUMBERS

BASIC
version

SMART
version

	BASIC version	SMART version
Fast-charger (AC)	eAC-B01	eAC-S01
Rapid-charger(AC/DC)	—	eDC-S01

INSTALLATION ADAPTERS
For Fast-charger (AC)

Floor-standing	A1
Pylon-mounted	A2
Wall-mounted	A3